




10800 SW Herman Rd.
Tualatin, OR 97062
Ph: 503-692-5012
Fx: 503-692-1098
www.kemequipment.com

KEM 4.3L Propane Power Curve






10800 SW Herman Rd.
 Tualatin, OR 97062
 Ph: 503-692-5012
 Fx: 503-692-1098
www.kemequipment.com

KEM 4.3L Constant Duty Propane Power Curve				
Engine Speed (RPM)	Intermittent Torque (ft-lb)	Continuous Torque (ft-lb)	Intermittent HP (BHP)	Continuous HP (BHP)
2600	194		96	
2500	194		93	
2400	194	166	89	76
2300	194	166	85	72
2200	194	165	81	69
2100	194	165	77	66
2000	194	165	74	63
1900	193	165	70	60
1800	193	165	66	56
1700	193	165	62	53
1600	192	164	59	50
1500	192	164	55	47
1400	192	164	51	44
1300	192	164	47	40
1200	191	163	44	37
1100	191	163	40	34
1000	191	163	36	31



10800 SW Herman Rd.
Tualatin, OR 97062
Ph: 503-692-5012
Fx: 503-692-1098
www.kemequipment.com

4.3L Constant Duty Natural Gas Fuel Usage 1500 and 2650RPM With Catalyst & MEFI 6 System





10800 SW Herman Rd.
Tualatin, OR 97062
Ph: 503-692-5012
Fx: 503-692-1098
www.kemequipment.com

4.3L Constant Duty Propane Fuel Consumption					
Brake Specific HP	RPM	Torque (ft-lb)	Fuel Usage (g)	Fuel Usage Rate (gal/min)	Fuel Usage Rate (gal/hr)
119	2650	235	2384	0.16	9.31
89	2650	176	1793	0.12	7.00
67	1500	234	1292	0.08	5.04
59	2650	118	1314	0.09	5.13
50	1500	176	1026	0.07	4.01
33	1500	117	747	0.05	2.92
30	2650	59	857	0.06	3.35
17	1500	59	468	0.03	1.83
12	2650	24	608	0.04	2.37
7	1500	23	315	0.02	1.23